

Issue Date: 01-Sep-2012

Revision Date: 01-Jan-2015

Version 2

**1. IDENTIFICATION****Product Identifier****Product Name** Paintable Mold Release**Other means of identification****SDS #** MRPS114**Product Code** MRPS114**Synonyms** Paintable Mold Release  
Severely Hydrotreated Paraffinic White Oil.**UN/ID No** UN1950**Other Information****Recommended use of the chemical and restrictions on use****Recommended Use** Industrial mold release.**Details of the supplier of the safety data sheet****Supplier Address**DME  
29111 Stephenson Highway  
Madison Heights, MI 48071**Emergency Telephone Number****Company Phone Number** Phone: 1-248-398-6000

Fax: 1-248-544-5113

**Emergency Telephone (24 hr)** Chemtrec 1-703-527-3887 (International)  
1-800-527-3887 (North America)**2. HAZARDS IDENTIFICATION****Appearance** Clear, oily, colorless liquid**Physical State** Aerosol**Odor** No odor**Classification**

Flammable Aerosols

Category 2

**Signal Word**

Warning

**Hazard Statements**

Flammable Aerosol

**Precautionary Statements - Prevention**

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Do not spray on an open flame or other ignition source

Pressurized container: Do not pierce or burn, even after use

**Precautionary Statements - Storage**

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Synonyms** Slide Pure Eze  
Severely Hydrotreated Paraffinic White Oil.

Chemical Name	CAS No	Weight-%
Dimethyl ether	115-10-6	55-65
1,1 difluoroethane	75-37-6	30-40
Mineral Oil	8042-47-5	1-7

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

### 4. FIRST-AID MEASURES

**First Aid Measures**

**Eye Contact** Rinse thoroughly with plenty of water, also under the eyelids. Call a physician immediately.

**Skin Contact** Wash with soap and water.

**Inhalation** Remove to fresh air.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

**Most important symptoms and effects**

**Symptoms** Inhalation symptoms may include dizziness and headache. Nausea. Concentrated spray may cause freezing of skin area. Direct contact with eyes may cause temporary irritation.

**Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media**

Dry chemical. Carbon dioxide (CO<sub>2</sub>). Foam.

**Unsuitable Extinguishing Media** Not determined.

**Specific Hazards Arising from the Chemical**

Aerosols may rupture violently at temperatures above 120 F. >18 inch flame extension as determined by the aerosol flame projection test (paragraph 191.15).

**Hazardous Combustion Products** Hydrogen fluoride and other fluorine compounds.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

<b>Personal Precautions</b>	Use personal protective equipment as required.
<b>Environmental Precautions</b>	See Section 12 for additional Ecological Information.

**Methods and material for containment and cleaning up**

<b>Methods for Containment</b>	Remove leaking container to outside disposal site. Remove all sources of ignition.
<b>Methods for Clean-Up</b>	Keep in suitable, closed containers for disposal.

**7. HANDLING AND STORAGE****Precautions for safe handling**

<b>Advice on Safe Handling</b>	Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not drop, puncture, or incinerate. Do not spray on floors.
--------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**Conditions for safe storage, including any incompatibilities**

<b>Storage Conditions</b>	Keep containers tightly closed in a dry, cool and well-ventilated place. Do not expose to temperatures exceeding 50 °C/122°F. Protect from direct sunlight.
<b>Incompatible Materials</b>	Powdered or alkaline earth metals.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

<b><u>Exposure Guidelines</u></b>	Threshold Limit Value: 1000 ppm
-----------------------------------	---------------------------------

**Appropriate engineering controls**

<b>Engineering Controls</b>	Apply technical measures to comply with the occupational exposure limits.
-----------------------------	---------------------------------------------------------------------------

**Individual protection measures, such as personal protective equipment**

<b>Eye/Face Protection</b>	Proper eye care is needed in all industrial operations.
<b>Skin and Body Protection</b>	Protective gloves are not required, but recommended.
<b>Respiratory Protection</b>	No protection is ordinarily required under normal conditions of use and with adequate ventilation.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES****Information on basic physical and chemical properties**

<b>Physical State</b>	Aerosol	<b>Odor</b>	No odor
<b>Appearance</b>	Clear, oily, colorless liquid	<b>Odor Threshold</b>	Not determined
<b>Color</b>	Colorless		

<b><u>Property</u></b>	<b><u>Values</u></b>	<b><u>Remarks • Method</u></b>
pH	Not determined	

<b>Melting Point/Freezing Point</b>	< -29 °C / <-20 °F	
<b>Boiling Point/Boiling Range</b>	Not available	
<b>Flash Point</b>	Not applicable	
<b>Evaporation Rate</b>	Not available	
<b>Flammability (Solid, Gas)</b>	Flammable aerosol	
<b>Upper Flammability Limits</b>	Not determined	
<b>Lower Flammability Limit</b>	Not determined	
<b>Vapor Pressure</b>	Nil	
<b>Vapor Density</b>	Not available	(Air=1)
<b>Specific Gravity</b>	0.81	(Water = 1)
<b>Water Solubility</b>	Nil	
<b>Solubility in other solvents</b>	Not determined	
<b>Partition Coefficient</b>	Not determined	
<b>Auto-ignition Temperature</b>	Not determined	
<b>Decomposition Temperature</b>	Not determined	
<b>Kinematic Viscosity</b>	Not determined	
<b>Dynamic Viscosity</b>	Not determined	
<b>Explosive Properties</b>	Not determined	
<b>Oxidizing Properties</b>	Not determined	
<b>Density</b>	Weight per gallon: 6.79	

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

### Chemical Stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

**Hazardous Polymerization**      Hazardous polymerization does not occur.

### Conditions to Avoid

High heat or open flames.

### Incompatible Materials

Powdered or alkaline earth metals.

### Hazardous Decomposition Products

Hydrogen fluoride and other fluorine compounds.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

**Eye Contact**      Avoid contact with eyes.

**Skin Contact**      Avoid contact with skin.

**Inhalation**      Do not inhale.

**Ingestion**      Do not ingest.

### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
---------------	-----------	-------------	-----------------

Dimethyl ether 115-10-6	-	-	= 308.5 mg/L ( Rat ) 4 h
Mineral Oil 8042-47-5	> 5000 mg/kg ( Rat )	-	-

**Information on physical, chemical and toxicological effects****Symptoms**

Please see section 4 of this SDS for symptoms.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure****Carcinogenicity**

Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

**Numerical measures of toxicity**

Not determined

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Mineral Oil 8042-47-5		10000: 96 h Lepomis macrochirus mg/L LC50		

**Persistence/Degradability**

Not determined.

**Bioaccumulation**

Not determined.

**Mobility**

Chemical Name	Partition Coefficient
Dimethyl ether 115-10-6	-0.18
Mineral Oil 8042-47-5	6

**Other Adverse Effects**

Not determined

**13. DISPOSAL CONSIDERATIONS****Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**14. TRANSPORT INFORMATION**

**Note** Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances. **Based on package size, product may be eligible for limited quantity exception.**

**DOT** (each not exceeding 1 L capacity)  
**UN/ID No** UN1950  
**Proper Shipping Name** Aerosols  
**Hazard Class** 2.1

**IATA**  
**UN/ID No** UN1950  
**Proper Shipping Name** Aerosols, flammable  
**Hazard Class** 2.1

**IMDG**  
**UN/ID No** UN1950  
**Proper Shipping Name** Aerosols  
**Hazard Class** 2.1

## 15. REGULATORY INFORMATION

### International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Dimethyl ether	Present	X		Present		Present	X	Present	X	X
1,1 difluoroethane	Present	X		Present		Present	X	Present	X	X
Mineral Oil	Present	X		Present		Present	X	Present	X	X

#### **Legend:**

*TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*

*DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List*

*EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*

*ENCS - Japan Existing and New Chemical Substances*

*IECSC - China Inventory of Existing Chemical Substances*

*KECL - Korean Existing and Evaluated Chemical Substances*

*PICCS - Philippines Inventory of Chemicals and Chemical Substances*

*AICS - Australian Inventory of Chemical Substances*

### US Federal Regulations

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### US State Regulations

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Dimethyl ether 115-10-6	X	X	X
1,1 difluoroethane 75-37-6	X	X	

**16. OTHER INFORMATION**

<b>NFPA</b>	<b>Health Hazards</b> Not determined	<b>Flammability</b> Not determined	<b>Instability</b> Not determined	<b>Special Hazards</b> Not determined
<b>HMIS</b>	<b>Health Hazards</b> 1	<b>Flammability</b> 3	<b>Physical Hazards</b> 0	<b>Personal Protection</b> B

Issue Date: 01-Sep-2012  
 Revision Date: 01-Jan-2015  
 Revision Note: New format

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**