# Safety Data Sheet

Dynatex 49584 Nickel Anti-Seize & Lubricating Compound

#### Section 1. Identification

Product Identifier

Dynatex 49584 Nickel Anti-Seize & Lubricating Compound

**Synonyms** Manufacture Stock 49584GY10 49584GY10

**Numbers** 

Recommended use Refer to Technical Data Uses advised against Refer to Technical Data

Manufacturer Contact

Address

Dynatex Inc. 350 Ring Road

Elizabethtown, KY, 42701

**USA** 

Phone

Emergency

Fax

Phone

(270) 769-3385

(800) 424-9300 Chemtrec N/A

### Section 2. Hazards Identification

Classification SENSITIZATION - SKIN - Category 1

SPECIFIC TARGET ORGAN TOXICITY (Repeated Exposure) -

Category 1

Signal Word Pictogram

Danger





Hazard Statements Causes damage to organs through prolonged or repeated

May cause an allergic skin reaction.

Precautionary Statements

Response Get medical advice/attention if you feel unwell.

If on skin: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Prevention Avoid breathing dust/fume/gas/mist/ vapors/spray.

Contaminated work clothing must not be allowed out of the

workplace.

Do not breathe dust/fume/gas/mist/ vapors/spray. Do not eat, drink or smoke when using this product.

Wash hands thoroughly after handling.

Wear protective gloves.

Storage N/A

Disposal Dispose of contents and container in accordance with all local,

regional, national and international regulations.

Ingredients of unknown 0% toxicity

Hazards not Otherwise None known Classified

### Section 3. Ingredients

CAS	Ingredient Name	Weight %
	re are no additional ingredients present which, within the current wledge	Unknown

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First-aid Measures

Inhalation Remove to fresh air. If symptoms persist, obtain appropriate

medical attention.

Skin Contact Wash with soap and water. If irritation occurs, seek medical

attention.

Eye Contact Immediately flush eyes with water for at least 15 minutes. Get

medical attention if irritation develops.

Ingestion Do not induce vomiting. Keep warm. Get medical attention.

### Section 5. Fire Fighting Measures

Suitable Extinguishing

Media

Unsuitable

Extinguishing Media

Special Fire Fighting

Procedures

Hazardous

N/A

N/A

Fight like a fuel oil fire. Cool fire exposed

containers with water spray. Use water to keep fire exposed containers

cool to prevent pressure build-up. Fire fighter should wear OSHA/NIOSH

approved self-contained breathing apparatus.

Thermal breakdown of

this product during fire or very high heat conditions may evolve the following

hazardous decomposition products: Carbon Dioxide Carbon Monoxide Trace

metal oxides

Carbon Dioxide, Dry

Chemical, Foam

None known

Extinguishing Media

**Decomposition Products** 

Unusual Fire or **Explosion Hazards** 

### Section 6. Accidental Release Measures

Steps to be taken in case of spill or release

Stop flow, scrape, wipe, mop up or absorb with diatomaceous earth or other inert material. Disposal should be in accordance

with local, state, and federal regulations.

### Section 7. Handling and Storage

Handling Spills may cause slippery floors. Proper footwear required. Remove

contaminated clothing and launder before reuse. Wash hands with

soap and water before eating, drinking or smoking. Discard

contaminated leather gloves and shoes.

Storage Avoid storage near open flame or other sources of ignition.

### Section 8. Exposure Controls/Personal Protecction

Occupational Exposure Limits

Ingredient Name	ACGIH TLV	OSHA PEL	STEL
There are no additional ingredients present which, within the current knowledge	N/A	N/A	N/A

Personal Protective Equipment

Eye Protection Skin Protection Respiratory Protection N/A

Safety goggles or glasses with side shields are recommended. Use neoprene or nitrile rubber gloves to prevent skin contact. No special requirements under ordinary conditions of use and with

adequate ventilation.

Other Protective Clothing or Equipment None under normal use; however, use of solvent resistant aprons or other clothing is recommended. Use of chemically resistant

boots is recommended.

Other Precautions Have emergency shower and eye wash available.

# Section 9. Physical and Chemical Properties

Physical State	Semi-solid
Color	Dark silver
Odor	Petroleum
	odor
Odor Threshold	Not
	available
Solubility	Insoluble in
	water
Partition coefficient Water/n-	Not
octanol	available
Viscosity	Not
	available
Specific Gravity	1.18
Density lbs/Gal	N/A
Pounds per Cubic Foot	N/A
Flash Point	218.33C
	425F
FP Method	COC
Ph	Not
	available
Melting Point	Not
	available
Boiling Point	Not
	available
Boiling Range	N/A
LEL	N/A
UEL	N/A
Evaporation Rate	Not
	available
Flammability	Not
	available
Decomposition Temperature	Not
	available
Auto-ignition Temperature	Not
	available
Vapor Pressure	Not
	available
Vapor Density	Not
	available

NoteThe above information is not intended for use in preparing product specifications. Contact Accumetric LLC before writing specifications.

## Section 10. Stability and Reactivity

Chemical Stability Stable

Hazardous Polymerization Will not occur

Materials to Avoid / Incompatibilities

Keep away from strong oxidizing agents.

Conditions to Avoid Do not heat above flash point. Do not weld.

### Section 11. Toxicological Information

Carcinogens IARC concluded that powdered Metallic Nickel is possibly

carcinogenic to humans. Not carcinogenic by ingestion. (NIOSHA

U.S.F.D.A.-GRAS)

### Section 12. Ecological Information

**Environmental Effects** Complete information is not yet available. Environmental Fate and Complete information is not yet available.

Distribution

Fate and Effects in

Complete information is not yet available.

Waste Water Treatment

**Plants** 

### Section 13. Disposal

Waste Disposal Method We make no guarantee or warranty of any kind that the use or disposal of this product complies with all local, state, or federal laws. It is also the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable statutes. This product is not known to be regulated under RCRA regulations, but contains SARA regulated substances. Disposal of unused portions of this product and process waste containing this product should be done only after a careful evaluation and in compliance with all federal, local and state laws.

### Section 14. Transport Information

UN Number	N/A
UN Proper Shipping Name	N/A
DOT Classification	N/A
Packing Group	N/A
•	

**DOT Hazardous** Classification

Not Regulated Grease or Oil - N.O.S.

### Section 15. Regulatory Information

New Jersey Nickel Powder (7440-02-0) Aluminum Powder (7429-90-5)

Nickel Powder (7440-02-0)

California Proposition Nickel Powder (7440-02-0)

65

SARA Title III Section

313 Toxic Chemicals

SARA Title III Section

304 CERCLA Hazardous

Substances

SARA Title III Section 302 Extremely

Hazardous Substances

**TSCA Status** 

None

All chemical substances found in this product comply with the Toxic Substances Control Act inventory reporting requirements.

The contents of this MSDS comply with the OSHA Hazard

Nickel Powder (7440-02-0) Aluminum Powder (7429-90-5)

Communication Standard 29 CFR 1910.1200.

Pennsylvania Graphite Powder (7782-42-5) Nickel Powder (7440-02-0) Aluminum

Powder (7429-90-5)

#### Section 16. Other Information

Revision Date Disclaimer 2/13/2015

The data contained herein is based upon information that Accumetric LLC believes to be reliable. Users of this product have the responsibility to determine that suitability of use and to adopt all necessary precautions to ensure the safety and protection of property and persons involved in said use. All statements or suggestions are made without warranty, expressed or implied, regarding the accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof.